



UNIVERSAL SALES

**RUSCO FILTER
Price List
2018**

Effective: 3-1-2018



UNIVERSAL SALES
92311 Booth Street
Junction City, OR 97448
www.universalsales.biz

Phone : 541-998-9999
Fax : 541-998-9998
Toll Free Fax : 888-998-7998
Email : Sales@UniversalSales.biz

RUSCO SPIN-DOWN FILTERS

1" COMPLETE FILTERS = POLY

| | |
|--------|-------|
| 1-24 | 62.95 |
| 1-30 | 62.95 |
| 1-40 | 62.95 |
| 1-60 | 63.70 |
| 1-100 | 63.70 |
| 1-140 | 63.70 |
| 1-250 | 66.00 |
| 1-500 | 66.00 |
| 1-1000 | 66.00 |

1" COMPLETE FILTERS = STAINLESS

| | |
|-----------------------|-------|
| 1-033-SS (perforated) | 70.65 |
| 1-30-SS | 70.65 |
| 1-60-SS | 71.80 |
| 1-100-SS | 76.05 |
| 1-140-SS | 77.30 |
| 1-200-SS | 78.85 |

1 1/2" COMPLETE FILTERS = POLY

| | |
|------------|-------|
| 1 1/2-24 | 83.40 |
| 1 1/2-30 | 83.40 |
| 1 1/2-40 | 83.40 |
| 1 1/2-60 | 86.55 |
| 1 1/2-100 | 86.55 |
| 1 1/2-140 | 86.55 |
| 1 1/2-250 | 89.60 |
| 1 1/2-500 | 89.60 |
| 1 1/2-1000 | 89.60 |

1 1/2" COMPLETE FILTERS = STAINLESS

| | |
|---------------------------|--------|
| 1 1/2-045-SS (perforated) | 97.75 |
| 1 1/2-095-SS (perforated) | 97.75 |
| 1 1/2-156-SS (perforated) | 97.75 |
| 1 1/2-30-SS | 97.75 |
| 1 1/2-60-SS | 103.25 |
| 1 1/2-100-SS | 105.50 |
| 1 1/2-140-SS | 108.25 |
| 1 1/2-200-SS | 110.20 |

2" COMPLETE FILTERS = POLY


| | |
|--------|--------|
| 2-24 | 135.75 |
| 2-30 | 135.75 |
| 2-40 | 135.75 |
| 2-60 | 139.25 |
| 2-100 | 139.25 |
| 2-140 | 139.25 |
| 2-250 | 143.80 |
| 2-500 | 143.80 |
| 2-1000 | 143.80 |

2" COMPLETE FILTERS = STAINLESS

| | |
|-----------------------|--------|
| 2-045-SS (perforated) | 153.60 |
| 2-095-SS (perforated) | 153.60 |
| 2-156-SS (perforated) | 153.60 |
| 2-30-SS | 153.60 |
| 2-60-SS | 157.65 |
| 2-100-SS | 161.30 |
| 2-140-SS | 165.65 |
| 2-200-SS | 168.75 |



All complete filters include 1/2" FIPT flush valve, Teflon tape to install the flush valve, and are individually boxed in "merchandising" cartons with installation and product information printed on the outside.



RUSCO SEDIMENT TRAPPER FILTERS

1" COMPLETE FILTERS = POLY

| | |
|-----------|-------|
| 1-30-ST | 81.85 |
| 1-40-ST | 81.85 |
| 1-60-ST | 83.00 |
| 1-100-ST | 83.00 |
| 1-140-ST | 83.00 |
| 1-250-ST | 86.05 |
| 1-500-ST | 86.05 |
| 1-1000-ST | 86.05 |



1" COMPLETE FILTERS = STAINLESS

| | |
|-------------------------|-------|
| 1-033-STSS (perforated) | 90.35 |
| 1-30-STSS | 90.35 |
| 1-60-STSS | 93.05 |
| 1-100-STSS | 95.85 |
| 1-140-STSS | 97.00 |
| 1-200-STSS | 99.00 |

The above 1" sediment trapper filters have an extra long ST clear cover and an ST screen.
The below 1.5" & 2" sediment trapper filters have the standard clear cover and an ST screen.

1 1/2" COMPLETE FILTERS = POLY

| | |
|---------------|--------|
| 1 1/2-30-ST | 100.80 |
| 1 1/2-40-ST | 100.80 |
| 1 1/2-60-ST | 103.95 |
| 1 1/2-100-ST | 103.95 |
| 1 1/2-140-ST | 103.95 |
| 1 1/2-250-ST | 107.95 |
| 1 1/2-500-ST | 107.95 |
| 1 1/2-1000-ST | 107.95 |



1 1/2" COMPLETE FILTERS = STAINLESS

| | |
|----------------|--------|
| 1 1/2-30-STSS | 113.35 |
| 1 1/2-60-STSS | 116.80 |
| 1 1/2-100-STSS | 119.10 |
| 1 1/2-140-STSS | 121.95 |
| 1 1/2-200-STSS | 122.55 |

2" COMPLETE FILTERS = POLY

| | |
|-----------|--------|
| 2-30-ST | 155.90 |
| 2-40-ST | 155.90 |
| 2-60-ST | 158.65 |
| 2-100-ST | 158.65 |
| 2-140-ST | 158.65 |
| 2-250-ST | 162.55 |
| 2-500-ST | 162.55 |
| 2-1000-ST | 162.55 |

2" COMPLETE FILTERS = STAINLESS

| | |
|------------|--------|
| 2-30-STSS | 168.05 |
| 2-60-STSS | 172.95 |
| 2-100-STSS | 176.15 |
| 2-140-STSS | 181.50 |
| 2-200-STSS | 185.45 |

All complete filters include 1/2" FIPT flush valve, Teflon tape to install the flush valve, and are individually boxed in "merchandising" cartons with installation and product information printed on the outside.


RUSCO FILTER SCREENS

SPIN-DOWN FILTER SCREENS = POLYESTER

1" ELEMENT

1 1/2" ELEMENT

2" ELEMENT



| | |
|-----------|-------|
| FS-1-24 | 15.20 |
| FS-1-30 | 15.20 |
| FS-1-40 | 15.20 |
| FS-1-60 | 15.50 |
| FS-1-100 | 15.50 |
| FS-1-140 | 15.50 |
| FS-1-250 | 17.55 |
| FS-1-500 | 17.55 |
| FS-1-1000 | 17.55 |



| | |
|---------------|-------|
| FS-1 1/2-24 | 25.00 |
| FS-1 1/2-30 | 25.00 |
| FS-1 1/2-40 | 25.00 |
| FS-1 1/2-60 | 27.25 |
| FS-1 1/2-100 | 27.25 |
| FS-1 1/2-140 | 27.25 |
| FS-1 1/2-250 | 30.40 |
| FS-1 1/2-500 | 30.40 |
| FS-1 1/2-1000 | 30.40 |




| | |
|-----------|-------|
| FS-2-24 | 41.85 |
| FS-2-30 | 41.85 |
| FS-2-40 | 41.85 |
| FS-2-60 | 45.00 |
| FS-2-100 | 45.00 |
| FS-2-140 | 45.00 |
| FS-2-250 | 49.70 |
| FS-2-500 | 49.70 |
| FS-2-1000 | 49.70 |

SPIN-DOWN FILTER SCREENS = STAINLESS STEEL

1" ELEMENT

1 1/2" ELEMENT

2" ELEMENT



| | |
|-------------|-------|
| FS-1-033-SS | 22.65 |
| FS-1-30-SS | 22.65 |
| FS-1-60-SS | 23.85 |
| FS-1-100-SS | 24.45 |
| FS-1-140-SS | 25.55 |
| FS-1-200-SS | 26.45 |



| | |
|-----------------|-------|
| FS-1 1/2-045-SS | 35.35 |
| FS-1 1/2-095-SS | 35.35 |
| FS-1 1/2-156-SS | 35.35 |
| FS-1 1/2-30-SS | 35.35 |
| FS-1 1/2-60-SS | 36.55 |
| FS-1 1/2-100-SS | 37.75 |
| FS-1 1/2-140-SS | 39.65 |
| FS-1 1/2-200-SS | 40.35 |




| | |
|-------------|-------|
| FS-2-045-SS | 48.55 |
| FS-2-095-SS | 48.55 |
| FS-2-156-SS | 48.55 |
| FS-2-30-SS | 48.55 |
| FS-2-60-SS | 57.45 |
| FS-2-100-SS | 60.20 |
| FS-2-140-SS | 64.50 |
| FS-2-200-SS | 66.00 |

SEDIMENT TRAPPER FILTER SCREENS = POLYESTER

1" ELEMENT

1 1/2" ELEMENT

2" ELEMENT



| | |
|--------------|-------|
| FS-1-30-ST | 17.55 |
| FS-1-40-ST | 17.55 |
| FS-1-60-ST | 18.25 |
| FS-1-100-ST | 18.25 |
| FS-1-140-ST | 18.25 |
| FS-1-250-ST | 19.50 |
| FS-1-500-ST | 19.50 |
| FS-1-1000-ST | 19.50 |



| | |
|------------------|-------|
| FS-1 1/2-30-ST | 43.40 |
| FS-1 1/2-40-ST | 43.40 |
| FS-1 1/2-60-ST | 44.25 |
| FS-1 1/2-100-ST | 44.25 |
| FS-1 1/2-140-ST | 44.25 |
| FS-1 1/2-250-ST | 46.15 |
| FS-1 1/2-500-ST | 46.15 |
| FS-1 1/2-1000-ST | 46.15 |




| | |
|--------------|-------|
| FS-2-30-ST | 60.50 |
| FS-2-40-ST | 60.50 |
| FS-2-60-ST | 62.05 |
| FS-2-100-ST | 62.05 |
| FS-2-140-ST | 62.05 |
| FS-2-250-ST | 64.50 |
| FS-2-500-ST | 64.50 |
| FS-2-1000-ST | 64.50 |

SEDIMENT TRAPPER FILTER SCREENS = STAINLESS

1" ELEMENT

1 1/2" ELEMENT

2" ELEMENT



| | |
|---------------|-------|
| FS-1-033-TS | 23.85 |
| FS-1-30-STSS | 23.85 |
| FS-1-60-STSS | 25.00 |
| FS-1-100-STSS | 26.00 |
| FS-1-140-STSS | 27.15 |
| FS-1-200-STSS | 28.30 |



| | |
|-----------------|-------|
| FS-1 1/2-30-TS | 52.80 |
| FS-1 1/2-60-TS | 54.75 |
| FS-1 1/2-100-TS | 56.30 |
| FS-1 1/2-140-TS | 58.00 |
| FS-1 1/2-200-TS | 59.00 |



| | |
|-------------|-------|
| FS-2-30-TS | 69.75 |
| FS-2-60-TS | 71.80 |
| FS-2-100-TS | 74.45 |
| FS-2-140-TS | 76.50 |
| FS-2-200-TS | 78.00 |

RUSCO FILTER PARTS

| PART # | DESCRIPTION | LIST |
|--------|-------------|------|
|--------|-------------|------|

FILTER BODY (WHITE)



| | | |
|----------|------------------------|-------|
| 1 FB | 1" SLIP X SLIP PVC | 30.70 |
| 1 1/2 FB | 1 1/2" SLIP X SLIP PVC | 41.60 |
| 2 FB | 2" SLIP X SLIP PVC | 50.55 |

FILTER COVER (CLEAR) & SUN SHIELDS (black neoprene)



| | | |
|---------------------|--|-------|
| 1 CVR | COVER FOR 1" SPIN DOWN | 31.00 |
| 1 CVR ST | COVER FOR 1" SEDIMENT TRAPPER | 43.05 |
| 1 1/2 CVR | COVER FOR 1 1/2" SPIN DOWN & SEDIMENT TRAPPER | 46.55 |
| 2 CVR | COVER FOR 2" SPIN DOWN & SEDIMENT TRAPPER | 55.90 |
| SS 1 (neoprene) | SUN SHIELD FOR 1" SPIN DOWN | 7.05 |
| SS 1 1/2 (neoprene) | SUN SHIELD FOR 1" ST AND 1 1/2" SPIN DOWN & ST | 9.30 |
| SS 2 (neoprene) | SUN SHIELD FOR 2" SPIN DOWN & ST | 10.90 |

O-RING KITS




| | | |
|---------|-------------------|------|
| K 1 | 1" O-RING KIT | 2.90 |
| K 1 1/2 | 1 1/2" O-RING KIT | 3.40 |
| K 2 | 2" O-RING KIT | 3.70 |

FLUSH VALVES (PVC)



| | | |
|--------|--------------------------|-------|
| 1/2 FV | 1/2" FPT PVC FLUSH VALVE | 13.25 |
|--------|--------------------------|-------|

RUSCO INTAKE FILTER-BASKET STRAINER



| | | |
|----------|-------------------------|-------|
| 4 BSK 24 | 24 MESH BASKET STRAINER | 69.45 |
| 4 BSK 60 | 60 MESH BASKET STRAINER | 72.25 |

2" IPS female slip inlet.
 100 GPM capacity.
 4" x 24" body = 75 square inches of filtering area.

VALVE COVER



| | | | |
|------|------------------------------------|----|------|
| VC-4 | 4" COVER FITS STANDARD 4" PVC PIPE | 50 | 4.00 |
|------|------------------------------------|----|------|


AUTOMATIC FLUSH VALVE WITH CONTROLLER

| PART # | DESCRIPTION | LIST |
|--|--|--------|
| AFV | AUTOMATIC FLUSHING BALL VALVE (FILTER SOLD SEPARATELY). | 516.25 |
| AFV KIT | INSTALLATION KIT ONLY FOR AFV (AFV & FILTER SOLD SEPARATELY) KIT INCLUDES: 2 = 1/2" BARB X 1/2" MPT HOSE FITTINGS 2 = SAE SIZE 8 STAINLESS WORM DRIVE CLAMPS 24" = 1/2" BRAIDED REINFORCED FLEXIBLE PVC TUBING (RATED AT 215 PSI) | 30.40 |
| PLEASE NOTE: TO ENSURE OPTIMAL PERFORMANCE OF AFV, IT IS RECOMMENDED THAT YOU USE THE ABOVE RATED TUBING ONLY. | | |
| AFV 188056 | REPLACEMENT BRASS BALL VALVE | 63.00 |



SPECIFICATIONS



- ADJUSTABLE CYCLE TIME: 1 MIN TO 14 DAYS
- WORKING PRESSURE: 200 PSI
- AMBIENT TEMPERATURE: 35⁰ Fahrenheit to 165⁰ Fahrenheit
- ENCLOSURE: NEMA 4
- VOLTAGE: 100-240V, 50/60 HZ
- CURRENT: 0.6 AMPS
- FULL PORT BALL VALVE: 1/2" NPT
- VALVE CONSTRUCTION: LEAD FREE BRASS NSF/ANSI 372
- SEALS: REINFORCED TEFLON
- DISCHARGE TIME: 7 SECONDS (NON-ADJUSTABLE)



RUSCO HOT WATER FILTERS

- 3/4" FPT inlet & outlet
- 1/2" MPT drain port
- 200 degrees Fahrenheit max @ 40 PSI
- 150 PSI max at 73 degrees Fahrenheit
- Flow rates from 1 GPM to 25 GPM

| | | |
|------------------------|---|--|
| Body | = | Black glass filled polypropylene with 304 stainless steel support rings. |
| Cover | = | Chemical and heat resistant HP polymer (translucent yellow color). |
| Screen | = | Glass filled polypropylene support structure with 304 stainless steel woven wire screen. |
| O-Rings | = | EPDM |
| Cap (optional) | = | CPVC |
| Flush Valve (standard) | = | CPVC |



COMPLETE SPIN DOWN

| | |
|------------|--------|
| 3/4-30-HT | 132.70 |
| 3/4-60-HT | 132.70 |
| 3/4-100-HT | 132.70 |
| 3/4-140-HT | 132.70 |
| 3/4-200-HT | 132.70 |

COMPLETE SEDIMENT TRAPPER

| | |
|---------------|--------|
| 3/4-30-ST-HT | 160.80 |
| 3/4-60-ST-HT | 160.80 |
| 3/4-100-ST-HT | 160.80 |
| 3/4-140-ST-HT | 160.80 |
| 3/4-200-ST-HT | 160.80 |

SCREEN ONLY – SPIN DOWN

| | |
|---------------|-------|
| FS-3/4-30-HT | 33.45 |
| FS-3/4-60-HT | 33.45 |
| FS-3/4-100-HT | 33.45 |
| FS-3/4-140-HT | 33.45 |
| FS-3/4-200-HT | 33.45 |

SCREEN ONLY – SEDIMENT TRAPPER

| | |
|------------------|-------|
| FS-3/4-30-ST-HT | 37.00 |
| FS-3/4-60-ST-HT | 37.00 |
| FS-3/4-100-ST-HT | 37.00 |
| FS-3/4-140-ST-HT | 37.00 |
| FS-3/4-200-ST-HT | 37.00 |

FLUSH VALVES FOR HOT WATER (CPVC)



.5 FVCPVC

1/2" FPT CPVC FLUSH VALVE

25.40



UNIVERSAL SALES

RUSCO FILTERS

www.universalsales.biz ~ PH (541) 998-9999 ~ FX (541) 998-9998

TERMS AND CONDITIONS

TERMS:

Net 10th of month following the invoice date. A 1 1/2% per month service charge will be added to all past due accounts.

CREDIT:

Credit approval for an open account and discount eligibility must be established prior to initial order. COD may be requested for accounts with credit applications in process. Shipments will be held on established accounts with an unsatisfactory payment status.

PRICES:

We reserve the right to change prices without notice. However, we will endeavor to announce price changes 30 days prior to the date of effectiveness. Unless noted otherwise on our sales acknowledgment, prices are those in effect at time of shipment.

SHORTAGES:

All claims such as pricing, shortages, returns, etc. must be made within 1 day from receipt of shipment in writing. All shortages should be identified by giving us the sales order or invoice number and date on which merchandise was received. Please take digital pictures of the shipment for us to review. No debit memo will be accepted until final disposition is determined and factory credit memo is issued.

PRODUCT DESIGN:

Manufacturer reserves the right to redesign, alter, or modify its products without incurring liability for customer's inventory or future repair problems.

DEFECTIVE MATERIALS:

Contact sales office for field inspection prior to any disposition of material. Take digital pictures and send them to us for review. No debit memos, freight charges, returns, etc. will be honored without corporate authorization.

MERCHANDISE RETURNED FOR CREDIT:

No merchandise will be accepted without prior approval from Universal Sales. All materials approved for return shall be returned freight prepaid and are subject to a 20% restocking charge.

DAMAGED FREIGHT:

Products are packaged and accepted by the freight forwarder in undamaged condition. Do not sign for damaged freight without noting damages on the waybill. Notify Universal Sales headquarters immediately for instructions on how to proceed. Take digital pictures and send them to us for review.